Date

Thursday, 11/06/2009 11:17:47 AM

User:

Julie Dawson

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 48490A

**Estimate Number** : 10193

P.O. Number

This Issue Prsht Rev.

: 11/06/2009

: NC

: // : 48393B

: LARGE FAB ASSY Type

S.O. No. :

**Part Number** 

**Drawing Name** 

: D2512

: E

: D2512 REVE

: 350/212/130 BASKET LID

**Drawing Number** 

**Project Number** 

**Drawing Revision** 

Material

**Due Date** : 17/06/2009 Qty:

1 Um:

Each

**Checked & Approved By** 

Comment

Written By

First Issue

**Previous Run** 

Rev Est:M 03.01.31

OQ. 1

Added D2012-117 for D130-701-041 KJ/

RF

Est Rev:N 06.04.05

Added level21

Est Rev:O 08-08-29 Est Rev:P 08-09-24

revE as per dwg DD verified by:EC plug holes prior to powder coating DD

verified by:EC

**Additional Product** 

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

M304TS0750W065 1.0

304 SQ Tube .75x.75x.065W



Comment: Qty.:

Total: 45.7594 f(s)/Unit

45.7594 f(s)

Pick:

3/4"x3/4" 304/316 SS tube .065" wall

Batch: M111885

SAD

09-06-15

2.0

D31663

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

Basket Hoop



Comment: Qty.:

Pick:

**Qty Part Number** 

D3166-3

Description

Batch

1347 957

D2506

Basket Hoop

3.0

Label Plate



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

1.0000 Each(s)

Pick:

**Qty Part Number** 

Description

1 D2506

Label Plate

Batch B45735

St 09/06/11

Mog/06/11

Page 1

Form: rprocess

W/O:		WORK ORDER CHANGES									
DATE	STEP	PR	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No:		PAR #:	Fault Categ	ory:	NCR: Yes	No <b>DQ</b>	A:	Date:			
Resolution:			Disposition	:	QA: N/C CI	osed:		Date: _			
NCR:			WORK ORDE	R NON-CONFORMAN	CE (NCF	3)			7.11.		
DATE	STEP	Description of NC Section A	Initial Action Description Chief Eng Chief Eng		Sign &		cation on C	Approval Chief Eng	Approval QC Inspector		
	ļ										
							-		71		
						:					
								:			
	1 1										

Date: Thursday, 11/06/2009 11:17:47 AM .User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: 350/212/130 BASKET LID Job Number: 48490A Part Number: D2512 Job Number: Seq. #: Machine Or Operation: Description: D23271 4.0 Spacer Bushing Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: Batch  $325 \longrightarrow 1_x$ **Qty Part Number** Description SM ng/OG/11 2 D2327-1 Bushing D22321 5.0 Basket Hinge 2.0000 Each(s)/Unit Total: Comment: Qty.: 2.0000 Each(s) Pick: Batch B 46 709 -Description **Qty Part Number** SM 09/06/11 2 D2232-1 Hinge plate 6.0 D2581 Mounting Bracket 2.0000 Each(s)/Unit Total: Comment: Qty.: 2.0000 Each(s) Pick: **Qty Part Number** Description SM 09/06/11 Mounting Bracket 2 D2581 7.0 M304EX07516F Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: Batch **Qty Part Number** Description 18 sf M304EX0.75-16F Expanded Metal 21/11/956 LARGE FABRICATION RESOURCE 1 8.0 LARGE FAB 1 **Comment:** LARGE FABRICATION RESOURCE 1 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 2-Cut (4) D2236 From D3166-3 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 St 09/06/15 5-Weld as per Dwg D2512 using Dt9436

Form: rprocess

Page 2

W/O:			WORK ORDER CHANGES								
DATE	STEP	PR	PROCEDURE CHANGE			ate Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector			
Part No	:	PAR #:	Fault Category:	NCR:	Yes No	DQA:	Date: _				
	Resolution	n:	Disposition:	QA: N	C Close	d:	Date: _				
NCR:			WORK ORDER NON-CONFORMANCE (NCR)								

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
DATE	OTED	Description of NC		Corrective Action Section B			Approval	Approval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Chief Eng	Approval QC Inspector			
								:			
							<b></b>				

Thursday, 11/06/2009 11:17:47 AM Date: User: Julie Dawson **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 48490A Part Number: D2512 Job Number: Seq. #: **Machine Or Operation:** Description: VISUAL WELDING INSPECTION 9.0 QC9 Comment: VISUAL WELDING INSPECTION 10.0 QC6 DIMENSIONAL CHECK Comment: DIMENSIONAL CHECK POWDER COATING POWDER COATING 11.0 M111472 Comment: POWDER COATING 1- Plug holes in D2581 and in D2327-1 bushing prior to powder coating 2- Powder Coat White Gloss (Ref. 4.3.5.1) as per QSI 005 4.3 1ST COAT: 8:30AM START TIME: OVEN TEMPERATURE: 4000 F 9:00 pre FINISH TIME: 2ND COAT: START TIME: 4:00Am OVEN TEMPERATURE: 400°(-FINISH TIME: 12.0 HAND FINISHING1 HAND FINISHING RESOURCE Spray pant: m 111301 Comment: HAND FINISHING RESOURCE #1 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 Batch: Batch: Batch: Batch: Batch: هناه المراجعة INSPECT POWDER COAT/CHEMICAL CONVERSIO 13.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 14.0 Comment: PACKAGING RESOURCE #1 Location:

Page 3

W/O:			WORK ORDER (	WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
							-		
Part No	:	PAR #	t: Fault Category:	NCR: Yes	A:	Date:			
-	Reso	olution:	Disposition:	QA: N/C (	QA: N/C Closed:				

	WORK ORDER NON-CONFORMANCE (NCR)									
	Description of NC		Corrective Action Section E	3	Varification	A	Approval QC Inspector			
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng				
					:					
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Initial Action Description Sign & Section C	STEP Description of NC Section A Initial Action Description Sign & Section C			

Date: User: Thursday, 11/06/2009 11:17:47 AM

Julie Dawson

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350/212/130 BASKET LID

Job Number: 48490A

Part Number: D2512

Job Number:



Seq. #:

**Machine Or Operation:** 

Description:

15.0

QC21

FINAL INSPECTION/W/O RELEASE



mr 09-06-17

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion




W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE			Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
					÷,			•		


Part No:		PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
	Resolution:		Disposition:	QA: N/C Closed:	Date:


	WORK ORDER NON-CONFORMANCE (NCR)									
0755	Description of NC Section A		Corrective Action Section B			Annroval	Approval			
SIEP		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector			
	<b>J</b>		•							
	<b>6</b>						-			
	•									
							ř			
			•	-:			r.			
	STEP	STEP Description of NC Section A	STEP Description of NC Section A Initial Chief Eng	STEP  Description of NC Section A  Initial Chief Eng  Corrective Action Section B  Action Description Chief Eng	STEP  Description of NC Section A  Initial Chief Eng Corrective Action Section B  Initial Chief Eng Chief	STEP Description of NC Section A Initial Chief Eng Chief	STEP Description of NC Section A Section A Section B Sign & Date Section C S			


#### PARTS LIST FOR D2512 BASKET LID ASSEMBLY

PART NO	QUANTITY	LENGTH A	LENGTH B	DESCRIPTION
D2512-1	2		25.50	RIB
D2512-3	2		95.30	RIB
D2512-5	6	30.84		RIB
D2512-7	3	30.63	-	RIB
D2232-1	2	N/A	N/A	HINGE PLATE
D2236	4	N/A	N/A	RIB
D2327-1	2	N/A	N/A	BUSHING
D2506	1	N/A	N/A	LABEL PLATE
D2581	2	N/A	N/A	MOUNTING BRACKET











В

A N
$\vdash$
BA
BA
C R
D C
E F

DECOGLI	Y**	J DAKI AEKUSPACE I	ו טו-		
DRAWN	AJS	HAWKESBURY, ONTARIO, CANA	DA		
CHECKED	.5	DRAWING NO.	REV. E		
MFG. APPR.	21/2	D2512 s	HEET 1 OF 4		
APPROVED	THE	TITLE	SCALE		
DE APPR.	-1	BASKET LID ASSEMBLY (350/212)			
08.0 DATE	6.17	COPYRIGHT © 1995 BY DART AEROSPACE LTD  THIS DOCUMENT'S PRIVATE ALD CONFECTION AND IS SUPPLIED ON THE EXPACES CONDITION THAT IT IS NOT TO BE USED FOR ANY PROPOSE OR COPAGE ON COMMANDIAGREED FOR ANY OTHER PRESON INTINOUT			



D2512-11-31-51-7 NOTES:

1) MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.065 WALL SQUARE TUBING REF. DART SPEC M304TS0.750W.065

Α

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE

8

7) WEIGHT: N/A
8) CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST

SHOP COPY
RETURN TO
FINGINEERING
UNCONTROLLED SUBJECT TO AMENDMENT WITHOUT NOTICE COPY

5

2

W/O:			WORK ORDER CHANGES						
DATE	STEP	PF	OCEDURE CHANGE	E	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
-									
Part No	:	PAR #:	Fault Category:	NCR:	Yes	No <b>DQ</b>	<b>A</b> :	Date:	
	Resolution	on:	Disposition:	QA: N	/C C	losed:		Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification	Ammunual	A
			Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector

